
Heat Dashboard Documentation

Release 12.1.0.dev6

OpenStack Developers

Nov 20, 2024

CONTENTS

1	Heat Dashboard installation guide	1
2	Heat Dashboard configuration guide	3
2.1	Configuration	3
2.1.1	OPENSTACK_HEAT_STACK	3
3	Heat Dashboard User Documentation	4
3.1	Launch and manage stacks	4
3.1.1	Launch a stack	4
3.1.2	Manage a stack	5
3.1.3	Delete a stack	6
3.2	Generate a Heat Orchestration Template	6
3.2.1	Generate a template	6
3.2.2	Currently Supported resource types	6
4	Contributor Documentation	8
4.1	So You Want to Contribute	8
4.1.1	Communication	8
4.1.2	Contacting the Core Team	8
4.1.3	New Feature Planning	8
4.1.4	Task Tracking	8
4.1.5	Reporting a Bug	8
4.1.6	Getting Your Patch Merged	8
4.1.7	Project Team Lead Duties	8
4.2	Use Heat Dashboard in DevStack	9

HEAT DASHBOARD INSTALLATION GUIDE

This page describes the manual installation of heat-dashboard, while distribution packages may provide more automated process.

Note

This page assumes horizon has been installed. Horizon setup is beyond the scope of this page.

Install Heat Dashboard with all relevant packages to your Horizon environment.

```
pip install heat-dashboard
```

In most cases, heat-dashboard is installed into your python site-packages directory like /usr/local/lib/python2.7/site-packages. We refer to the directory of heat-dashboard as <heat-dashboard-dir> below and it would be <site-packages>/heat_dashboard if installed via pip. The path varies depending on Linux distribution you use.

To enable heat-dashboard plugin, you need to put horizon plugin setup files into horizon enabled directory.

The plugin setup files are found in <heat-dashboard-dir>/enabled.

```
$ cp <heat-dashboard-dir>/enabled/_[1-9]*.py \  
    /usr/share/openstack-dashboard/openstack_dashboard/local/enabled
```

Note

The directory local/enabled may be different depending on your environment or distribution used. The path above is one used in Ubuntu horizon package.

Configure the policy file for heat-dashboard in OpenStack Dashboard local_settings.py.

```
POLICY_FILES['orchestration'] = '<heat-dashboard-dir>/conf/heat_policy.json'
```

Note

If your local_settings.py has no POLICY_FILES yet, you need to define the default POLICY_FILES in local_settings.py. If you use the example local_settings.py file from horizon, what you need is to uncomment POLICY_FILES (which contains the default values).

You can also add additional configurations to `local_settings.py`. For more detail, see [Configuration](#). You can also find an example file at `<heat-dashboard-dir>/heat_dashboard/local_settings.d`.

Compile the translation message catalogs of heat-dashboard.

```
$ cd <heat-dashboard-dir>
$ python ./manage.py compilemessages
```

Run the Django update commands. Note that `compress` is required when you enable compression.

```
$ cd <horizon-dir>
$ DJANGO_SETTINGS_MODULE=openstack_dashboard.settings python manage.py
↳collectstatic --noinput
$ DJANGO_SETTINGS_MODULE=openstack_dashboard.settings python manage.py
↳compress --force
```

Finally, restart your web server. For example, in case of apache:

```
$ sudo service apache2 restart
```

HEAT DASHBOARD CONFIGURATION GUIDE

2.1 Configuration

Heat Dashboard has configuration option as below.

For more configurations, see [Configuration Guide](#) in the Horizon documentation.

2.1.1 OPENSTACK_HEAT_STACK

Added in version 9.0.0(Mitaka).

Default:

```
{  
    'enable_user_pass': True  
}
```

A dictionary of settings to use with heat stacks. Currently, the only setting available is `enable_user_pass`, which can be used to disable the password field while launching the stack. Currently HEAT API needs user password to perform all the heat operations because in HEAT API trusts is not enabled by default. So, this setting can be set as `False` in-case HEAT uses trusts by default otherwise it needs to be set as `True`.

HEAT DASHBOARD USER DOCUMENTATION

3.1 Launch and manage stacks

OpenStack Orchestration is a service that you can use to orchestrate multiple composite cloud applications. This service supports the use of both the Amazon Web Services (AWS) CloudFormation template format through both a Query API that is compatible with CloudFormation and the native OpenStack Heat Orchestration Template (HOT) format through a REST API.

These flexible template languages enable application developers to describe and automate the deployment of infrastructure, services, and applications. The templates enable creation of most OpenStack resource types, such as instances, floating IP addresses, volumes, security groups, and users. Once created, the resources are referred to as stacks.

The template languages are described in the [Template Guide](#).

3.1.1 Launch a stack

1. Log in to the dashboard.
2. Select the appropriate project from the drop down menu at the top left.
3. On the *Project* tab, open the *Orchestration* tab and click *Stacks* category.
4. Click *Launch Stack*.
5. In the *Select Template* dialog box, specify the following values:

<i>Template Source</i>	Choose the source of the template from the list.
<i>Template URL/File/Data</i>	Depending on the source that you select, enter the URL, browse to the file location, or directly include the template.
<i>Environment Source</i>	Choose the source of the environment from the list. The environment files contain additional settings for the stack.
<i>Environment File/Data</i>	Depending on the source that you select, browse to the file location, directly include the environment

6. Click *Next*.
7. In the *Launch Stack* dialog box, specify the following values:

<i>Stack Name</i>	Enter a name to identify the stack.
<i>Creation Timeout (minutes)</i>	Specify the number of minutes that can elapse before the launch of the stack times out.
<i>Rollback On Failure</i>	Select this check box if you want the service to roll back changes if the stack fails to launch.
<i>Password for user demo</i>	Specify the password that the default user uses when the stack is created.
<i>DBUsername</i>	Specify the name of the database user.
<i>LinuxDistribution</i>	Specify the Linux distribution that is used in the stack.
<i>DBRootPassword</i>	Specify the root password for the database.
<i>KeyName</i>	Specify the name of the key pair to use to log in to the stack.
<i>DBName</i>	Specify the name of the database.
<i>DBPassword</i>	Specify the password of the database.
<i>InstanceType</i>	Specify the flavor for the instance.

- Click *Launch* to create a stack. The *Stacks* tab shows the stack.

After the stack is created, click on the stack name to see the following details:

Topology

The topology of the stack.

Overview

The parameters and details of the stack.

Resources

The resources used by the stack.

Events

The events related to the stack.

Template

The template for the stack.

3.1.2 Manage a stack

- Log in to the dashboard.
- Select the appropriate project from the drop down menu at the top left.
- On the *Project* tab, open the *Orchestration* tab and click *Stacks* category.
- Select the stack that you want to update.
- Click *Change Stack Template*.
- In the *Select Template* dialog box, select the new template source or environment source.
- Click *Next*.
The *Update Stack Parameters* window appears.
- Enter new values for any parameters that you want to update.
- Click *Update*.

3.1.3 Delete a stack

When you delete a stack, you cannot undo this action.

1. Log in to the dashboard.
2. Select the appropriate project from the drop down menu at the top left.
3. On the *Project* tab, open the *Orchestration* tab and click *Stacks* category.
4. Select the stack that you want to delete.
5. Click *Delete Stack*.
6. In the confirmation dialog box, click *Delete Stack* to confirm the deletion.

3.2 Generate a Heat Orchestration Template

Heat Dashboard provides a user-friendly interface to generate Heat Orchestration templates in a Drag and Drop way.

3.2.1 Generate a template

1. Log in to the dashboard.
2. On the *Project* tab, open the *Orchestration* tab and click *Template Generator* category.
3. Wait until the page is completely loaded. It may take several seconds.
4. Click the dropdown menu of Template Version, and choose an appropriate version.
5. Drag icons of resource types at the top of the page to the central canvas.
6. Click icons on the canvas to specify properties of resources.
7. Click EDIT button at the top of the canvas, to enable manipulate mode.
8. When in manipulate mode, click on CONNECT button to add an edge between icons.
9. Click edges to show details of connections.
10. Click the Generate Template button at the top-right of the page and generated template will be shown in a text box. You can also add modification to the template here.
11. Click CREATE STACK to jump to continue to *Launch Stack*.
12. Click DOWNLOAD STACK to download the generated template.
13. You can also click the Manage Drafts button at the top-right of the page, to temporarily save the editing canvas or to load a saved one.

3.2.2 Currently Supported resource types

13 types of resources are supported in the first release of Heat Dashboard.

1. OS::Cinder::Volume
2. OS::Cinder::VolumeAttachment
3. OS::Heat::ResourceGroup
4. OS::Neutron::FloatingIP
5. OS::Neutron::FloatingIPAssociation

6. OS::Neutron::Net
7. OS::Neutron::Port
8. OS::Neutron::Router
9. OS::Neutron::RouterInterface
10. OS::Neutron::SecurityGroup
11. OS::Neutron::Subnet
12. OS::Nova::KeyPair
13. OS::Nova::Server

CONTRIBUTOR DOCUMENTATION

4.1 So You Want to Contribute

For general information on contributing to OpenStack, please check out the [contributor guide](#) to get started. It covers all the basics that are common to all OpenStack projects: the accounts you need, the basics of interacting with our Gerrit review system, how we communicate as a community, etc. Below will cover the more project specific information you need to get started with heat-dashboard.

4.1.1 Communication

- IRC channel #heat at OFTC
- Mailing list (prefix subjects with [heat] for faster responses) <http://lists.openstack.org/cgi-bin/mailman/listinfo/openstack-discuss>

4.1.2 Contacting the Core Team

Please refer the [heat-dashboard Core Team](#) contacts.

4.1.3 New Feature Planning

heat-dashboard features are tracked on [Storyboard](#).

4.1.4 Task Tracking

We track our tasks in [Storyboard](#). If you're looking for some smaller, easier work item to pick up and get started on, search for the low-hanging-fruit tag.

4.1.5 Reporting a Bug

You found an issue and want to make sure we are aware of it? You can do so on [Storyboard](#).

4.1.6 Getting Your Patch Merged

All changes proposed to the heat-dashboard project require one or two +2 votes from heat-dashboard core reviewers before one of the core reviewers can approve patch by giving [Workflow](#) +1 vote.

4.1.7 Project Team Lead Duties

All common PTL duties are enumerated in the [PTL guide](#).

4.2 Use Heat Dashboard in DevStack

Set up your `local.conf` to enable heat-dashboard:

```
[[local|localrc]]
enable_plugin heat-dashboard https://opendev.org/openstack/heat-dashboard
```

Note

You also need to install Heat itself into DevStack to use Heat Dashboard.